

SAFE HANDLING OF CHEMICALS



EXCELLENT FOR DISPENSING CHEMICALS

- · Superior polypropylene construction- chemical resistant
- True double action pump innovative, easy, patented pumping technology
- Delivers on both the up and down stroke continuous fast flow
- Anti pumping/safety device deters access by children and unauthorized personnel
- Pumps from base of container all contents emptied
- Unique Ezi-action® Adaptor Fittings leak free, secure fit
- Constructed from FDA compliant plastic confidence with liquid foods
- 24 month manufacturer's warranty high quality construction
- Fully serviceable dispense container after container, year after year
- Optional: Tube fitted with Ezi-action® Non-Siphon Check Valve
- Optional: Coloured safety straps for chemical differentiation
- Manufactured in New Zealand

ASK YOUR LOCAL SUPPLIER OR FOR DETAILS OF WHERE TO PURCHASE CONTACT: WWW.NZPUMP.COM



NISUS (THAILAND) CO., LTD. Tel : 0-2898-8901-3 , Fax : 0-2898-7745 www.nisusthailand.co.th www.nisusthailand.com E-mail : info@nisusthailand.co.th



www.nzpump.com



NISUS (THAILAND) CO., LTD.

www.nisusthailand.co.th www.nisusthailand.com

E-mail: info@nisusthailand.co.th

Ezimetien 25/5L Drumpump

Standard Features include: Tel: 0-2898-8901-3, Fax: 0-2898-7745

- · Polypropylene and polyethylene construction chemical resistant.
- True double action pump innovative, easy, patented pumping technology.
- Delivers on both the up and down stroke continuous fast flow.
- Anti-pumping/safety device deters access by children and unauthorised personnel.
- Pumps from base of container all contents emptied.
- Unique Ezi-action[®] Adaptor fittings leak free, secure fit.
- Constructed from FDA compliant plastics confidence with liquid food products.
- 24 month manufacturer's warranty high quality construction.
- Fully serviceable dispense container after container, year after year.
- Spout style Long spout. Extender hose can be attached to outlet spout.

Technical data

Style		Output per stroke	Maximum depth neck to bottom
25/5L (For 25 litre (5 gallon) containers) (Also suitable for 20 and 30 litre (8 gallon) containers)		160ml (6oz)	420mm (16 1/2 inches)
Width of spout	Length of Spout	Width of case pipe	Ezi-action [®] Adaptor Fitting*
20mm (Spout opening fits 25mm (1 inch) diameter extender hose)	160mm (6 inches)	41mm (1 1/2 inches)	C57, C63 (Europe) C69 (USA) C55, C63 (Australia, NZ) * Fittings for all container styles available
Packaging	Weight per pump	Outer carton contents (except USA)	Outer carton dimensions (except USA)
Each pump packaged in a plastic bag with a header card incorporating instructions stapled to the top.	400gms (.9lbs)	15 pumps	1170 x 300 x 270 mm 7kg 0.095 cubic metres
Outer carton contents (USA)		Outer carton dimensions (USA)	
20 pumps		46 x 12 x 11 inches 20lbs	

Fax : +1 626 458 8024 Email: sales@nzpump.com NZ Pump Company Bakewell House Bretby Business Park Ashby Rd

Phone: +44 (0) 1283553255



www.nzpump.com

HIGH VOLUME • LOW PRESSURE • EASY FLOW

NISUS (THAILAND) CO., LTD. Tel : 0-2898-8901-3 , Fax : 0-2898-7745 www.nisusthailand.co.th www.nisusthailand.com E-mail : info@nisusthailand.co.th







The EZI Way to Pump!

EZI-action Drum Pumps provide an easy method of dispensing a wide range of liquids including strong acids, alkalis, mild solvents, lubricants, oils, and diesel to name a few, from 5 gallon containers to 55 gallon drums. The patented zero-friction design provides effortless flow of viscous fluids up to 8,800 cps. EZI-action Drum Pumps are ruggedly constructed with polypropylene and polyethylene to perform in hostile conditions. Each EZI-action pump is supplied with the appropriate adapters for quick and easy installation. All EZI-action pumps feature a safety strap, which locks the pump handle in the closed position to prevent accidental discharge of liquids when not in use.


COLOR-CODED SAFETY STRAPS 6 Colors Available!



Optional color-coding of the Safety Strap, when used in conjunction with fluid transferring and dispensing containers, such as Oil Safe containers, minimize the risk of fluid cross-contamination and insures the right lubricant is inserted into the right piece of equipment. Color-Coded Safety Straps are sold separately, see back page.







The EZI-action Drum Pump can be used to pump fluid to remote areas by attaching a length of tubing to the end of the spout and attaching a hose clamp.

The Dispensing Solution

- Lubricants
- Oil 📕
- Industrial Chemicals
- Diesel
- Cleaning Chemicals
- Mild Solvents
- Strong acids
- Alkalis

NISUS (THAILAND) CO., LTD. Tel : 0-2898-8901-3 , Fax : 0-2898-7745 www.nisusthailand.co.th www.nisusthailand.com E-mail : info@nisusthailand.co.th



DRUMPUMP

FEATURES

- Easy to install, safe to use, and simple to maintain
- Fits 5 to 55 gallon containers three sizes available
- Pumps liquid on both the "up" and "down" strokes
- Sits on the base of the container eliminates waste in containers
- Prevents undesired fluid drip
- Pumps high viscosity liquids
- Full range of drum attachment fittings available
- High volume delivery at low pressure makes pumping chemicals safer
- No wearing parts
- Optional color-coding system available
- Not to be used with highly flammable liquids, strong solvents, or gasoline

SPECIFICATIONS

Material	Polypropylene and Polyethylene		
Maximum Viscosity	8,000 cps		
Maximum Flow	5-6 Gallon Drum Pump - 6 oz per stroke 15-30 Gallon Drum Pump - 15 oz per stroke 15-55 Gallon Drum Pump - 15 oz per stroke		

PRODUCT SELECTION

EZI-action Drum Pumps

Part Number	Description	For Use With
36980-1	EZI-action Pump 200/55	15-55 Gallon Containers
36981-1	EZI-action Pump 60/15	15-30 Gallon Containers
36982-1	EZI-action Pump 25/5	5-6 Gallon Containers

Color-Coded Safety Strap

Part Number	Strap Color	
36983	Yellow	
36984	Red	
36985	Blue	
36986	Green	
36987	Orange	
36988	Purple	





TRICO CORPORATION = 1235 Hickory Street = Pewaukee, WI 53072 = Phone: 800.558.7008 = Web: www.tricocorp.com





Eziaction 200/55 Drumpump

Standard Features include:

- Polypropylene and polyethylene construction chemical resistant.
- True double action pump innovative, easy, patented pumping technology.
- Delivers on both the up and down stroke continuous fast flow.
- Anti-pumping/safety device deters access by children and unauthorised personnel.
- Pumps from base of container all contents emptied.
- Unique Ezi-action[®] Adaptor fittings leak free, secure fit.
- Constructed from FDA compliant plastics confidence with liquid food products.
- 24 month manufacturer's warranty high quality construction.
- Fully serviceable dispense container after container, year after year.
- Spout style Extender hose can be attached to outlet spout.

Technical data						
Style	Output per stroke		Maximum depth neck to bottom			
200/55 (For 200 litre (55 gallon) drums) (Also suitable for 100 litre (30 gallon) drums)	400ml (15oz)		930mm (36 inches)			
Width of spout	Width of case pipe		Ezi-action® Adaptor Fitting*			
20mm (Spout opening fits 25mm (1 inch) diameter extender hose)	41mm (11/2 inch)		M69, M55, MBSP (Europe) MR, M63, (USA) M63, M55, MBSP (Australia) M63, MBSP (New Zealand) * Fittings for all drum styles available			
Outer carton contents	Weight per Pump	Outer carton dimensions (metric)	Outer carton dimensions (USA)			
10 pumps. Each pump packaged in a plastic sleeve with a header card incorporating instruc- tions stapled to the top.	700gms (1.6lbs)	1170 x 300 x 270 mm 8.5kg 0.095 cubic metres	46 x 12 x 11 inches 20lbs			

NISUS (THAILAND) CO., LTD. Tel : 0-2898-8901-3 , Fax : 0-2898-7745 www.nisusthailand.co.th www.nisusthailand.com E-mail : info@nisusthailand.co.th



www.nzpump.com

lew Zealand Pump Company Ltd 20. Box 821, łamilton 3240 IEW ZEALAND

Phone: +64 (0)7 839 3838 Fax: +64 (0)7 839 1193 E-Mail:

NZ Pump Company Inc California USA 1107 Fair Oaks, Box 289, South Pasadena, CA 91030-3311 USA

Phone: +1 626 458 8023 Fax : +1 626 458 8024 Email: sales@nzpump.com

NZ Pump Company (Europe) Ltd Unit 5/6 Greenline Business Park Wellington Street Burton-on-Trent Staffordshire DE14 2AS UK Phone: +44 (0) 1283 531549 Fax: +44 (0) 1283 531548 Email: europesales@nzpump.com